

Narcissus



Outdoor directional spotlights (IP67 protection) made of **AISI 316 STAINLESS STEEL**, with integrated driver. Available in three sizes with 2 W, 6 W and 13 W powers.

Passive heat dissipation

AISI 316 stainless steel casing for high salinity environments



Light management

Methacrylate lens, protection extra-clear toughened glass with black silk-screened edge

Directional casing

Casing rotating up to 220 degrees



Narcissus_1 | Projector | 190-250 V | powerLED 2 W 630 mA**type**Steel CRI 80 **95151****colour**

3000 K	208 lm	W
4000 K	222 lm	N

optic



8°	08
15°	15
30°	30
60°	60

**84890**

Pegs

**98112**

Pegs

Narcissus_2 | Projector | 180-300 V | powerLED 6 W 500 mA**type**Steel CRI 80 **95152****colour**

2700 K	557 lm	M
3000 K	588 lm	W
4000 K	650 lm	N

optic



15°	15
30°	30
60°	60

**84890**

Pegs

**98112**

Pegs

Narcissus_3 | Projector | 180-300 V | powerLED 13 W 350 mA**type**Steel CRI 80 **95153****colour**

2700 K	1298 lm	M
3000 K	1400 lm	W
4000 K	1497 lm	N

optic

15°	15
30°	30
60°	60

**84890**

Pegs

**98112**

Pegs

