





PENDELLEUCHTEN
PENDANT LUMINAIRES











STAR



LED

STAR DOWN 55 LED PD S Design: BRUCK

- 09 101108ch 
- 09 101108mcgy 
- 09 101108ws 
- 09 101108sw 

| | | |
|---|---|---|
| A | LED | 15 W |
| min. 1200 lm | 2700 K | CRI 93 |
|  |  | Pri 230 V |
|  | R, L, C |  |


Optionen Options



| | |
|------------|--------|
| dim 2 wärm | 3000 K |
|------------|--------|



HALO





STAR DOWN 55 S Design: BRUCK





- 100102ch 
- 100102mcgy 

| | | |
|---|---|---|
| A+ | A | LED |
| C | D | HALO |
| QPAR-CB 51 | GU10 | ECO max. 42 W |
|  |  | Pri 230 V |
| | |  |

LED

STAR DOWN 55 LED AC PD S Design: BRUCK

- 09 101109ch 
- 09 101109mcgy 
- 09 101109ws 
- 09 101109sw 

| | | |
|---|---|---|
| A | LED | 12 W |
| min. 950 lm | 2700 K | CRI 90 |
|  |  | Pri 230 V |
|  | R, L, C |  |

Option Option


| |
|--------|
| 3000 K |
|--------|





PENDELLEUCHTEN PENDANT LUMINAIRES

STAR



LED

STAR DOWN 35 LED PD S Design: BRUCK

- 09 101107ch
- 09 101107mcgy
- 09 101107sw
- 09 101107ws

| | | |
|--------------|------------|-----------|
| A | LED | 15 W |
| min. 1200 lm | 2700 K | CRI 93 |
| | | Pri 230 V |
| | | |
| EB | R, L, C | |

| | |
|------------|---------|
| Optionen | Options |
| dim 2 warm | 3000 K |