


Clip



A round or square wall light with single or double emission and 70-degree optics. It features **very low consumption, compact size and Aqua-stop**, an exclusive anti-suction system for the power supply cables.

Passive heat dissipation


Brass casing

Passive heat dissipation


Three shades of white and four colours for customizable lighting.



Clip_R | Wall light | powerLED 2 W 630 mA




type		colour			optic	
White	CRI 80 92271	3000 K	208 lm	W	70°	70
Grey	CRI 80 92272	4000 K	222 lm	N		
Chrome	CRI 80 92269	5000 K	253 lm	C		
Steel	CRI 80 92273	R - G - B - Y on request				



89420	99179	99186	84915	84336
ON/OFF 1 - 2 art.	ON/OFF 3 - 6 art.	ON/OFF 6 - 12 art.	Outer casing	Outer casing

Clip_R | Wall light | powerLED 2 W 350 mA





type		colour			optic	
White	CRI 80 92281	3000 K	208 lm	W	70°	70
Grey	CRI 80 92282	4000 K	222 lm	N		
Chrome	CRI 80 92279	5000 K	253 lm	C		
Steel	CRI 80 92283	R - G - B - Y on request				




89419	89421	99183	84915	84336
ON/OFF 1 art.	ON/OFF 2 - 3 art.	ON/OFF 3 - 6 art.	Outer casing	Outer casing

Clip_X | Wall light | powerLED 2 W 630 mA





type		colour			optic	
White	CRI 80 92311	3000 K	208 lm	W	70°	70
Grey	CRI 80 92312	4000 K	222 lm	N		
Chrome	CRI 80 92309	5000 K	253 lm	C		
Steel	CRI 80 92313	R - G - B - Y on request				



89420	99179	99186	84915	84336
ON/OFF 1 - 2 art.	ON/OFF 3 - 6 art.	ON/OFF 6 - 12 art.	Outer casing	Outer casing

Clip_Q | Wall light | powerLED 2 W 630 mA



29

type


White	CRI 80	92291
Grey	CRI 80	92292
Chrome	CRI 80	92289
Steel	CRI 80	92293

colour

3000 K	208 lm	W
4000 K	222 lm	N
5000 K	253 lm	C
R - G - B - Y on request		

optic

70°	70
-----	-----------


**89420**ON/OFF
1 - 2 art.**99179**ON/OFF
3 - 6 art.**99186**ON/OFF
6 - 12 art.**84915**

Outer casing

**84336**

Outer casing

Clip_Q | Wall light | powerLED 2 W 350 mA



29

type

White	CRI 80	92301
Grey	CRI 80	92302
Chrome	CRI 80	92299
Steel	CRI 80	92303

colour

3000 K	208 lm	W
4000 K	222 lm	N
5000 K	253 lm	C
R - G - B - Y on request		

optic

70°	70
-----	-----------

**89419**ON/OFF
1 art.**89421**ON/OFF
2 - 3 art.**99183**ON/OFF
3 - 6 art.**84915**

Outer casing

**84336**

Outer casing