



Dual

Wall mounted fixture with single or dual light emission, available with concentrating lens for a more scenographic lighting. Available with LED Array source for open beams or PowerLED for narrow beams. Integrated electronic power supply. Aluminum case minimal design, suitable for terraces and covered paths.

- + direct and indirect light
- + LED source
- + minimal design




Dual_1 | Wall Lights | 220-240 V | arrayLED 9.5 W 250 mA



type			colour			optics	
Grey	CRI 80	59385	3000 K	1131 lm	W	60°	60
			4000 K	1214 lm	N		
type			colour			optics	
Cor-Ten	CRI 80	59386	3000 K	1131 lm	W	60°	60
			4000 K	1214 lm	N		




Dual_2 | Wall Lights | 220-240 V | arrayLED 19 W 500 mA



type			colour			optics	
Grey	CRI 80	59365	3000 K	2262 lm	W	60°	60
			4000 K	2428 lm	N		
type			colour			optics	
Cor-Ten	CRI 80	59366	3000 K	2262 lm	W	60°	60
			4000 K	2428 lm	N		



Dual_3 | Wall Lights | 100-240 V | PowerLed 4W 700mA UP+ arrayLED 9,5W 250mA DOWN



type			colour			optics	
Grey	CRI 80	59375	3000 K	1331 lm	W	3° + 60°	36
			4000 K	1414 lm	N		
type			colour			optics	
Cor-Ten	CRI 80	59376	3000 K	1331 lm	W	3° + 60°	36
			4000 K	1414 lm	N		





