

Vedette_R Inox


Light management: versions with single or double emission and up to **4 different optics** available

Passive heat dissipation: brushed stainless **steel** casing

Independent power supply: **resin-potted driver** **integrated** in the lighting fixture casing and neoprene cables



Black silk-screened pattern along the glass edge for glare reduction and groove to allow rainwater to drain off

Vedette_R Inox Wall light - Single emission - PowerLED 2 W


type

Inox	95155
------	--------------

colour

colour	lm	CRI	code	optic	code
Natural	222 lm	CRI 80	N	8°	08
Warm	208 lm	CRI 80	W	15°	15
Super W	195 lm	CRI 80	M	30°	30
				60°	60

optic

Vedette_R Inox Wall light - Single emission - PowerLEDs 6,5 W


type

Inox	95158
------	--------------

colour

colour	lm	CRI	code	optic	code
Natural	490 lm	CRI 80	N	15°	15
Warm	443 lm	CRI 80	W	30°	30
Super W	420 lm	CRI 80	M	60°	60

optic

Vedette_R Inox Wall light - Single emission - PowerLEDs 13 W

type


Inox	95162
------	--------------

colour

colour	lm	CRI	code	optic	code
Natural	1497 lm	CRI 83	N	15°	15
Warm	1400 lm	CRI 83	W	30°	30
Super W	1298 lm	CRI 83	M	60°	60

optic

Vedette_R Inox Wall light - Double emission - PowerLED 2+2 W



type

Inox **95156**


colour

Natural	444 lm	CRI 80	N
Warm	416 lm	CRI 80	W
Super W	390 lm	CRI 80	M

optic

8°	08
15°	15
30°	30
60°	60

Vedette_R Inox Wall light - Double emission - PowerLEDs 2,5+2,5 W



type

Inox **95159**


colour

Natural	700 lm	CRI 80	N
Warm	680 lm	CRI 80	W
Super W	626 lm	CRI 80	M

optic

15°	15
30°	30
60°	60

Vedette_R Inox Wall light - Double emission - PowerLEDs 5+5 W



type

Inox **95864**

colour

Natural	1004 lm	CRI 83	N
Warm	940 lm	CRI 83	W
Super W	878 lm	CRI 83	M


optic

15°	15
30°	30
60°	60



Outdoor

Lighting_concept



Vedette_R

30° emission
3000 K
Anti-corrosion

The outdoor **up & down** wall-mounted light enhances the building architecture

The stainless steel wall lights are **resistant to weathering**, including sea salt

No ordinary maintenance operations required for the light, thanks to the LED lamps features