


BRUCK.



# NEWS PRODUCTS

CATALOGUE 2019 / 2020



## PENDANT LUMINAIRES

### OPTO AC C



- Mains voltage LED 12W
- New in white
- 950lm, CRI90
- Surface mounted luminaire without recessed elements
- Option 3000K
- Option Dim2warm

## SPOTLIGHTS

### BLOP FLAT 120° C



- Mains voltage LED 12W
- 950lm, CRI90
- Option 3000K
- Option Dim2warm


### EUCLID 3D 80° AC C



- Mains voltage LED 12W
- 1200lm, CRI90
- Option 3000K
- Option Dim2warm

## WALL LUMINAIRES

### CRANNY AC W



- Mains voltage LED 12W
- 950lm, CRI90
- Option 3000K
- Option Dim2warm
- Option Casambi

## POINT LUMINAIRES

### BLOP 30° / 60° / 100° LED PNT



- Mains voltage LED 12W
- 1200lm, CRI90
- Option 3000K
- Option Dim2warm

### BLOP SPOT 30° / 60° / 100° LED PNT



- Mains voltage LED 12W
- 1200lm, CRI90
- Massive aluminium body ø100mm
- Option 3000K
- Option Dim2warm

### BLOP SPOT FLAT 120° LED PNT



- 1200lm, CRI90
- Massive aluminium body ø100mm
- Option 3000K
- Option Dim2warm

## LED-DRIVER

### 350MA DALI



# DUOLARE

## ACT 40° / 60° ZIG DLR



- Zigbee-dimmable
- 1100lm, CRI90
- Option 3000K

## BLOP FLAT 120° DLR



- Mains voltage LED 12W
- 950lm, CRI90
- Massive aluminium body ø100mm
- Option 3000K
- Option Dim2warm

## PINO 30° / 55° ZIG DLR



- Zigbee-dimmable
- 600lm, CRI90
- Option 3000K

## ACT PLUS 30° DLR



- White with white decorative ring
- Black with black decorative ring

## POWER FEED C 90° DLR



## POWER FEED C DALI DLR



- 2 x 250W
- Phase-dimming by DALI

## POWER FEED C END DALI DLR



- 2 x 250W
- Phase-dimming by DALI

BRUCK.



BRUCK GMBH & CO. KG  
INDUSTRIESTRASSE 22A  
44628 HERNE  
TELEFON:+49(0)2323/591-0  
FAX:+49(0)2323/591-100  
WWW.BRUCK.DE