


admiral




AquaStop®

Admiral is designed exclusively for use in water. Its easy-maintenance flange is made from a special high-tech corrosion-resistant polymer, and the light source is totally shielded from the water. It has IP68 protection, and exclusive AquaStop® technology keeps moisture away from the power cables. A choice of five optics makes Admiral an extremely flexible design option.


Materials

AISI 316 stainless steel body

High-tech polymer flange with inertial characteristics making it ideal for underwater settings



Admiral_I | Underwater luminaires | powerLED 2 W 630 mA



RTG 93114W30

CRI 80

Steel 93114

3000 K	233 lm	W
4000 K	249 lm	N

Narrow Spot	08
Spot	15
Medium Flood	30
Flood	60
Wide Flood	12
General	00

Electronics



89420
ON/OFF
1 - 2 art.




99179
ON/OFF
3 - 6 art.



99186
ON/OFF
6 - 12 art.

Admiral_I | Underwater luminaires | 24 V | powerLEDs 6 W



CRI 80

Steel 97631

3000 K	699 lm	W
4000 K	747 lm	N

Spot	15
Medium Flood	30
Flood	60
Wide Flood	12

Electronics



89179
ON/OFF
1 - 4 art.



89359
ON/OFF
1 - 8 art.



99331
ON/OFF
1 - 25 art.




99332
0/1-10V
1 - 25 art.



99722
DALI
1 - 20 art.

Admiral_I | Underwater luminaires | 24 V | powerLEDs 12 W



CRI 80

Steel 97632

3000 K	1398 lm	W
4000 K	1494 lm	N

Medium Flood	30
Flood	60
Wide Flood	12

Electronics



89179
ON/OFF
1 - 2 art.



89359
ON/OFF
1 - 4 art.



99331
ON/OFF
1 - 12 art.




99332
0/1-10V
1 - 12 art.



99722
DALI
1 - 10 art.

Admiral_I | Underwater luminaires | 24 V | powerLEDs 27 W



CRI 80

Steel 97638

3000 K	3582 lm	W
4000 K	3834 lm	N

Spot	15
Medium Flood	30
Flood	60
Wide Flood	12

Electronics



89179
ON/OFF
1 - 2 art.



89359
ON/OFF
1 - 4 art.



99331
ON/OFF
1 - 15 art.




99332
0/1-10V
1 - 15 art.



99722
DALI
1 - 12 art.

Admiral_JI | Underwater luminaires | 24 V | powerLEDs 6 W




CRI 80

Steel	97641	3000 K	699 lm	W	Medium Flood	30
		4000 K	747 lm	N	Flood	60
					Wide Flood	12

Electronics

38 92	50 115	35 150	35 150	38 191
117	140	60	60	63
89179 ON/OFF 1 - 4 art.	89359 ON/OFF 1 - 8 art.	99331 ON/OFF 1 - 25 art.	99332 0/1-10V 1 - 25 art.	99722 DALI 1 - 20 art.

Admiral_JI | Underwater luminaires | 24 V | powerLEDs 14 W




CRI 80

Steel	97643	3000 K	1791 lm	W	Spot	15
		4000 K	1917 lm	N	Medium Flood	30
					Flood	60

Electronics

38 92	50 115	35 150	35 150	38 191
117	140	60	60	63
89179 ON/OFF 1 - 2 art.	89359 ON/OFF 1 - 4 art.	99331 ON/OFF 1 - 12 art.	99332 0/1-10V 1 - 12 art.	99722 DALI 1 - 10 art.

Admiral_JI | Underwater luminaires | 24 V | powerLEDs 18 W




CRI 80

Steel	97691	3000 K	2388 lm	W	Spot	15
		4000 K	2556 lm	N	Medium Flood	30
					Flood	60

Electronics

38 92	50 115	35 150	35 150	38 191
117	140	60	60	63
89179 ON/OFF 1 art.	89359 ON/OFF 1 - 2 art.	99331 ON/OFF 1 - 7 art.	99332 0/1-10V 1 - 7 art.	99722 DALI 1 - 6 art.


Admiral_I | Underwater luminaires | powerLED 2.1 W 220 mA




RTG 94151Z60
RGB

Steel	94151	RGB	Z	Flood	60
				Wide Flood	12

Electronics



211
167 51
RF driver CC
972



601
159 90
DMX driver CC
977



DMX controllers
995




driver CV 24V/48V
981-982



switching CV 24V/48V
986-989


Admiral_I | Underwater luminaires | powerLED 6 W 630 mA




RGB

Steel	93495	RGB	Z	Spot	15
				Medium Flood	30
				Flood	60
				Wide Flood	12

Electronics



211
167 51
RF driver CC
972



601
159 90
DMX driver CC
977



DMX controllers
995




driver CV 24V/48V
981-982



switching CV 24V/48V
986-989

Admiral_I | Underwater luminaires | powerLED 12 W 630 mA




RGB

Steel	93637	RGB	Z	Spot	15
				Medium Flood	30
				Flood	60
				Wide Flood	12

Electronics



211
167 51
RF driver CC
972



601
159 90
DMX driver CC
977



DMX controllers
995





driver CV 24V/48V
981-982



switching CV 24V/48V
986-989


Admiral_I | Underwater luminaires | powerLED 27 W 500 mA




RGB

Steel	93498	RGB	Z	Spot	15
				Medium Flood	30
				Flood	60
				Wide Flood	12

Electronics



211
167 51
RF driver CC
972



601
159 90
DMX driver CC
977



DMX controllers
995





driver CV 24V/48V
981-982



switching CV 24V/48V
986-989



Admiral_POP | Underwater luminaires | powerLED 2 W 630 mA



CRI 80

White **93112**

3000 K	233 lm	W
4000 K	249 lm	N

Spot	15
Medium Flood	30
Flood	60
General	00

Electronics



89420
ON/OFF
1 - 2 art.





99179
ON/OFF
3 - 6 art.



99186
ON/OFF
6 - 12 art.



Admiral_POP | Underwater luminaires | 24 V | powerLEDs 6 W



CRI 80

White **97647**

3000 K	699 lm	W
4000 K	747 lm	N

Spot	15
Medium Flood	30
Flood	60
Wide Flood	12

Electronics



89179
ON/OFF
1 - 4 art.



89359
ON/OFF
1 - 8 art.



99331
ON/OFF
1 - 25 art.




99332
0/1-10V
1 - 25 art.



99722
DALI
1 - 20 art.



Admiral_POP | Underwater luminaires | 24 V | powerLEDs 18 W



CRI 80

White **97648**

3000 K	2097 lm	W
4000 K	2241 lm	N

Spot	15
Medium Flood	30
Flood	60

Electronics



89179
ON/OFF
1 - 2 art.



89359
ON/OFF
1 - 4 art.



99331
ON/OFF
1 - 12 art.





99332
0/1-10V
1 - 12 art.



99722
DALI
1 - 10 art.



Admiral_POP | Underwater luminaires | 24 V | powerLEDs 27 W



CRI 80

White **97651**

3000 K	3582 lm	W
4000 K	3834 lm	N

Spot	15
Medium Flood	30
Flood	60

Electronics



89179
ON/OFF
1 - 2 art.



89359
ON/OFF
1 - 4 art.



99331
ON/OFF
1 - 15 art.





99332
0/1-10V
1 - 15 art.



99722
DALI
1 - 12 art.



Admiral_POP | Underwater luminaires | powerLED 6 W 630 mA





White	93503	RGB	Z	Spot	15
				Medium Flood	30
				Flood	60
				Wide Flood	12

Electronics

RF driver CC	DMX driver CC	DMX controllers	driver CV 24V/48V	switching CV 24V/48V
972	977	995	981-982	986-989

Admiral_POP | Underwater luminaires | powerLED 18 W 630 mA




White	93505	RGB	Z	Spot	15
				Medium Flood	30
				Flood	60
				Wide Flood	12

Electronics

RF driver CC	DMX driver CC	DMX controllers	driver CV 24V/48V	switching CV 24V/48V
972	977	995	981-982	986-989

Admiral_POP | Underwater luminaires | powerLED 27 W 500 mA



White	93506	RGB	Z	Spot	15
				Medium Flood	30
				Flood	60
				Wide Flood	12

Electronics

RF driver CC	DMX driver CC	DMX controllers	driver CV 24V/48V	switching CV 24V/48V
972	977	995	981-982	986-989

Admiral | Recessed casing

IP68



type	Ø mm	h. mm	suitable for	
PVC	75	132	Admiral 2 W	84945

Admiral | Watertight Recessed casing



type	Ø mm	h. mm	suitable for	
PVC	75	113	Admiral 2 W	84990

Admiral | Watertight Recessed casing

IP68



type	Ø mm	h. mm	suitable for	
PVC	130	138	Admiral 6 W	84937

Admiral | Recessed casing



type	Ø mm	h. mm	suitable for	
PVC	130	138	Admiral 6 W	84942

Admiral | Watertight Recessed casing

IP68



type	Ø mm	h. mm	suitable for	
PVC	190	105	Admiral 12 W - 14 W	84938

Admiral | Recessed casing



type	Ø mm	h. mm	suitable for	
PVC	190	105	Admiral 12 W - 14 W	84943

Sub | Watertight Recessed casing

IP68



type	Ø mm	h. mm	suitable for	
PVC	283	135	Pop 27 W	84939

Sub | Recessed casing



type	Ø mm	h. mm	suitable for	
PVC	283	135	Admiral_I 27 W	84944
PVC	283	135	Admiral_JI 18 W	

Admiral | Watertight Recessed casing

IP68



type	Ø mm	h. mm	suitable for	
PVC	75	93	Suelo 1 W	99678

Admiral | Recessed casing



type	Ø mm	h. mm	suitable for	
PVC	75	123	Suelo Pro 1 W	99679


Sub | Watertight Recessed casing

IP68



type	Ø mm	h. mm	suitable for	
PVC	75	93	Sub	98148

Sub | Recessed casing



type	Ø mm	h. mm	suitable for	
PVC	70	54	Sub	98060