

# alcor




This small, robust driveway light provides effective, dazzle-free illumination of large areas of ground with no dazzle. It is perfect for highly saline environments. Alcor uses AquaStop® technology to protect the power cables against water and humidity.

#### **Materials**

AISI 316 stainless steel body  
Tempered prismatic glass diffuser

### Alcor\_1 | Drive-over spotlights | powerLED




RTG **87603W18**

III C.C. ~~III~~ 6.4 W 500 mA

Steel	<b>87603</b>	3000 K	199 lm	<b>W</b>	Wide Flood	<b>18</b>
		4000 K	213 lm	<b>N</b>		

#### Electronics

Recessed casing



**99181**  
ON/OFF  
1 art.



**99185**  
ON/OFF  
2 - 3 art.




**84341**

⚡ 4.2 W DC 5 W AC

Steel	<b>87600</b>	3000 K	432 lm	<b>W</b>	Wide Flood	<b>18</b>
		4000 K	477 lm	<b>N</b>		

### Alcor\_2 | Drive-over spotlights | 190-250 V | powerLED



III C.C. ~~III~~ 6.4 W 500 mA

Steel	<b>87604</b>	3000 K	199 lm	<b>W</b>	Wide Flood	<b>18</b>
		4000 K	213 lm	<b>N</b>		

#### Electronics

Recessed casing



**99181**  
ON/OFF  
1 art.



**99185**  
ON/OFF  
2 - 3 art.




**84341**

⚡ 4.2 W DC 5 W AC

Steel	<b>87601</b>	3000 K	432 lm	<b>W</b>	Wide Flood	<b>18</b>
		4000 K	477 lm	<b>N</b>		

### Alcor\_4 | Drive-over spotlights | 190-250 V | powerLED



III C.C. ~~III~~ 6.4 W 500 mA

Steel	<b>87605</b>	3000 K	199 lm	<b>W</b>	Wide Flood	<b>18</b>
		4000 K	213 lm	<b>N</b>		

#### Electronics

Recessed casing



**99181**  
ON/OFF  
1 art.



**99185**  
ON/OFF  
2 - 3 art.




**84341**

⚡ 4.2 W DC 5 W AC

Steel	<b>87602</b>	3000 K	432 lm	<b>W</b>	Wide Flood	<b>18</b>
		4000 K	477 lm	<b>N</b>		

Alcor\_1 | Drive-over spotlights | powerLED 1.5 W 500 mA



RTG 97353W18

CRI 80


Steel	<b>97353</b>	3000 K	199 lm	<b>W</b>	Wide Flood	<b>18</b>
		4000 K	213 lm	<b>N</b>		

Electronics

<b>89422</b>	<b>89423</b>	<b>99181</b>	<b>99185</b>	<b>84918</b>
ON/OFF 1 - 2 art.	ON/OFF 2 - 3 art.	ON/OFF 3 - 6 art.	ON/OFF 6 - 12 art.	

Recessed casings

Alcor\_1 | Drive-over spotlights | powerLED 1.5 W 500 mA



RTG 97354W18

CRI 80


Steel	<b>97354</b>	3000 K	199 lm	<b>W</b>	Wide Flood	<b>18</b>
		4000 K	213 lm	<b>N</b>		

Electronics

<b>89422</b>	<b>89423</b>	<b>99181</b>	<b>99185</b>	<b>84918</b>
ON/OFF 1 - 2 art.	ON/OFF 2 - 3 art.	ON/OFF 3 - 6 art.	ON/OFF 6 - 12 art.	

Recessed casings

Alcor\_2 | Drive-over spotlights | powerLED 1.5 W 500 mA



RTG 97355W18

CRI 80


Steel	<b>97355</b>	3000 K	199 lm	<b>W</b>	Wide Flood	<b>18</b>
		4000 K	213 lm	<b>N</b>		

Electronics

<b>89422</b>	<b>89423</b>	<b>99181</b>	<b>99185</b>	<b>84918</b>
ON/OFF 1 - 2 art.	ON/OFF 2 - 3 art.	ON/OFF 3 - 6 art.	ON/OFF 6 - 12 art.	

Recessed casings

Alcor\_4 | Drive-over spotlights | powerLED 1.5 W 500 mA



RTG 97356W18

CRI 80


Steel	<b>97356</b>	3000 K	199 lm	<b>W</b>	Wide Flood	<b>18</b>
		4000 K	213 lm	<b>N</b>		

Electronics

<b>89422</b>	<b>89423</b>	<b>99181</b>	<b>99185</b>	<b>84918</b>
ON/OFF 1 - 2 art.	ON/OFF 2 - 3 art.	ON/OFF 3 - 6 art.	ON/OFF 6 - 12 art.	

Recessed casings

Alcor\_Q1 | Drive-over spotlights | powerLED 1.5 W 500 mA



CRI 80


Steel	<b>81736</b>	3000 K	143 lm	<b>W</b>	Wide Flood	<b>18</b>
		4000 K	152 lm	<b>N</b>		

Electronics

<b>89422</b>	<b>89423</b>	<b>99181</b>	<b>99185</b>	<b>84918</b>
ON/OFF 1 - 2 art.	ON/OFF 2 - 3 art.	ON/OFF 3 - 6 art.	ON/OFF 6 - 12 art.	

Recessed casings

Alcor\_Q2 | Drive-over spotlights | powerLED 1.5 W 500 mA



CRI 80


Steel	<b>81750</b>	3000 K	143 lm	<b>W</b>	Wide Flood	<b>18</b>
		4000 K	152 lm	<b>N</b>		

Electronics

<b>89422</b>	<b>89423</b>	<b>99181</b>	<b>99185</b>	<b>84918</b>
ON/OFF 1 - 2 art.	ON/OFF 2 - 3 art.	ON/OFF 3 - 6 art.	ON/OFF 6 - 12 art.	

Recessed casings

Alcor\_Q4 | Drive-over spotlights | powerLED 1.5 W 500 mA



CRI 80

Steel	<b>81751</b>	3000 K	143 lm	<b>W</b>	Wide Flood	<b>18</b>
		4000 K	152 lm	<b>N</b>		

Electronics

<b>89422</b>	<b>89423</b>	<b>99181</b>	<b>99185</b>	<b>84918</b>
ON/OFF 1 - 2 art.	ON/OFF 2 - 3 art.	ON/OFF 3 - 6 art.	ON/OFF 6 - 12 art.	

Recessed casings