





Dropper Basic 60 LEDs/m | LED strip | stripLED 4.8 W/m 24 V




RTG



CRI 80


5 m **98019** 2700 K 1800 lm

Electronics




99374

ON/OFF
1 - 3 art.



99332

0/1-10V
1 - 6 art.



99722

DALI
1 - 5 art.


CRI 80

5 m **99588** 2700 K 2300 lm

5 m **99592** 3000 K 2400 lm


5 m **99590** 4000 K 2500 lm

Electronics




99374

ON/OFF
1 - 3 art.



99332

0/1-10V
1 - 6 art.





99722

DALI
1 - 5 art.

Dropper Hi-Flux 60 LEDs/m | LED strip | stripLED 14.4 W/m 24 V




RTG



CRI 80


5 m **98092** 2700 K 5400 lm

Electronics




99374

ON/OFF
1 art.



99332

0/1-10V
1 - 2 art.



99722

DALI
1 art.


CRI 80

5 m **99628** 2700 K 4750 lm

5 m **99632** 3000 K 5100 lm


5 m **99630** 4000 K 5500 lm

Electronics




99374

ON/OFF
1 art.



99332

0/1-10V
1 - 2 art.



99722

DALI
1 art.

Dropper 120 LEDs/m | LED strip | stripLED 9.6 W/m 24 V




RTG




CRI 80

5 m	98572	3000 K	3610 lm
5 m	98574	4000 K	3700 lm


Electronics



99374
ON/OFF
1 art.



99332
0/1-10V
1 - 3 art.




99722
DALI
1 - 2 art.

Dropper RGB 60 LEDs/m | LED strip | stripLED 14.4 W/m 24 V



RGB

RTG



CRI 80

5 m	98025	RGB
-----	--------------	-----

Electronics



RF driver CV
985



DMX driver CV
985



DMX controllers
995



driver CV 24V
981-982



switching CV 24V
986-989

LED Strips | Multiple outlet cable



connector	sec. Ø	available for	L mm	
F	2 x 0,35 mm ²	Ribbon mono Dropper mono	300 m	89121

LED Strips | Extension for multiple outlets



connector	sec. Ø	available for	L mm	
M + F	2 x 0,35 mm ²	Ribbon mono Dropper mono	1000 m 3000 m	89123 89125

LED Strips | Quick connector



connector	sec. Ø	available for	L mm	
1 clip	2 x 0,35 mm ²	Ribbon basic mono Ribbon Hi-Flux mono	150 m	98384

LED Strips | Extension of the quick connector



connector	sec. Ø	available for	L mm	
2 clip	2 x 0,70 mm ²	Ribbon basic mono Ribbon Hi-Flux mono	150 m	98379

LED Strips | Quick connector joint



connector	available for	
2 clip	Ribbon basic mono Ribbon Hi-Flux mono Ribbon basic RGB Ribbon Hi-Flux RGB	98383

LED Strips | Multiple outlet cable



connector	sec. Ø	available for	L mm	
6 M	2 x 0,35 mm ²	Ribbon basic mono Dropper mono	1000 m	89119

LED Strips | Extension for multiple outlets



connector	sec. Ø	available for	L mm	
F	3 x 0,35 mm ²	Ribbon Dynamic		99357
M	3 x 0,35 mm ²	Ribbon Dynamic		99358

LED Strips | Extension for multiple outlets



connector	sec. Ø	available for	L mm	
M + F	3 x 0,35 mm ²	Ribbon Dynamic	1000 m 3000 m	98551 98552

RGB Strips | Multiple outlet cable



connector	sec. Ø	available for	L mm	
F	4 x 0,35 mm ²	Ribbon RGB Dropper RGB	300 m	89122

RGB Strips | Extension for multiple outlets



connector	sec. Ø	available for	L mm	
M + F	4 x 0,35 mm ²	Ribbon RGB Dropper RGB	1000 m	89124
			3000 m	89126

LED Strips | Multiple outlet cable



connector	sec. Ø	available for	L mm	
6 M		Ribbon RGB Dropper RGB		89120

LED Strips | IP66 cable



connector	sec. Ø	available for	L mm	
1 M	2 x 0,75 mm ²	Silicone_C mono	1000 m	89629

LED Strips | IP66 extension



connector	sec. Ø	available for	L mm	
1 F	2 x 0,75 mm ²	Silicone_C mono	2000 m	99000

RGB Strips | IP66 cable



connector	sec. Ø	available for	L mm	
1 M	4 x 0,35 mm ²	Silicone_C RGB	2000 m	89630

RGB Strips | IP66 extension



connector	sec. Ø	available for	L mm	
1 F	4 x 0,35 mm ²	Silicone_C RGB	2000 m	99001

Low surface profile | Indoor LED Strips



Compatible with
Ribbon - Ribbon Plus - Ribbon slim
Dropper

type	L mm		
Anod. AL	2 m	Profilo - Profile	98891
Transp.	2 m	Diffusore - Diffuser	98941
Satinized	2 m	Diffusore - Diffuser	98942
Opaline	2 m	Diffusore - Diffuser	98943
	2 x	Tappi - Caps	98892
	5 x	Staffe - Brackets	98944

KIT composition

1 x	98891-98943-98892-98944	98954
10 x	98891-98943	98955


High surface profile | Indoor LED Strips



Compatible with
Ribbon - Ribbon Plus - Ribbon slim
Dropper
Silicone_C - PU_C Plus

type	L mm		
Anod. AL	2 m	Profilo - Profile	98893
Transp.	2 m	Diffusore - Diffuser	98941
Satinized	2 m	Diffusore - Diffuser	98942
Opaline	2 m	Diffusore - Diffuser	98943
	2 x	Tappi - Caps	98894
	5 x	Staffe - Brackets	98944


90° surface profile | Indoor LED Strips



Compatible with
Ribbon - Ribbon Plus - Ribbon slim
Dropper
Silicone_C - PU_C Plus

type	L mm		
Anod. AL	2 m	Profilo - Profile	98923
Satinized	2 m	Diffusore - Diffuser	98925
	2 x	Tappi - Caps	98928
	5 x	Staffe - Brackets	98927

High round surface profile | Indoor LED Strips





Compatible with
Ribbon - Ribbon Plus - Ribbon slim
Dropper

type L mm

Anod. AL	2 m	Profilo - Profile	98933
Opaline	2 m	Diffusore - Diffuser	98934
	2 x	Tappi - Caps	98936
	5 x	Staffe - Brackets	98935

Square surface profile | Indoor LED Strips




Compatible with
Ribbon - Ribbon Plus - Ribbon slim
Dropper

type L mm

Anod. AL	2 m	Profilo - Profile	98929
Opaline	2 m	Diffusore - Diffuser	98930
	2 x	Tappi - Caps	98932
	5 x	Staffe - Brackets	98931

Corner profile | Indoor LED Strips





Compatible with
Ribbon - Ribbon Plus - Ribbon slim
Dropper

type L mm

Anod. AL	2 m	Profilo - Profile	98903
Transp.	2 m	Diffusore - Diffuser	98941
Satinized	2 m	Diffusore - Diffuser	98942
Opaline	2 m	Diffusore - Diffuser	98943
	2 x	Tappi - Caps	98905
	5 x	Staffe - Brackets	98904

Small recessed profile | Indoor LED Strips



Compatible with
Ribbon - Ribbon Plus - Ribbon slim
Dropper

type L mm

Anod. AL	2 m	Profilo - Profile	98895
Transp.	2 m	Diffusore - Diffuser	98941
Satinized	2 m	Diffusore - Diffuser	98942
Opaline	2 m	Diffusore - Diffuser	98943
	2 x	Tappi - Caps	98896
	5 x	Staffe - Brackets	98944

KIT composition

1 x	98895-98943-98896-98944	98965
-----	-------------------------	--------------

Recessed profile | Indoor LED Strips





Compatible with
Ribbon - Ribbon Plus - Ribbon slim
Dropper
Silicone_C - PU_C Plus

type L mm

Anod. AL	2 m	Profilo - Profile	98897
Transp.	2 m	Diffusore - Diffuser	98898
Satinized	2 m	Diffusore - Diffuser	98899
Opaline	2 m	Diffusore - Diffuser	98900
	2 x	Tappi - Caps	98902
	5 x	Staffe - Brackets	98901

False-ceilings integrated profile | Indoor LED Strips





Compatible with
Ribbon - Ribbon Plus - Ribbon slim
Dropper
Silicone_C - PU_C Plus

type L mm


Anod. AL	2 m	Profilo - Profile	98906
Transp.	2 m	Diffusore - Diffuser	98898
Satinized	2 m	Diffusore - Diffuser	98899
Opaline	2 m	Diffusore - Diffuser	98900
	2 x	Tappi - Caps	98907

Wall integrated linear profile | Indoor LED Strips





type L mm

Anod. AL	2 m	Profilo - Profile	98916
Opaline	2 m	Diffusore - Diffuser	98917
	2 x	Tappi - Caps	98918




Compatible with
Ribbon - Ribbon Plus - Ribbon slim
Dropper

Wall integrated corner profile | Indoor LED Strips





type L mm

Anod. AL	2 m	Profilo - Profile	98919
Opaline	2 m	Diffusore - Diffuser	98917
	2 x	Tappi - Caps	98920




Compatible with
Ribbon - Ribbon Plus - Ribbon slim
Dropper

Wall integrated side profile | Indoor LED Strips



type L mm

Anod. AL	2 m	Profilo - Profile	98921
Opaline	2 m	Diffusore - Diffuser	98917
	2 x	Tappi - Caps	98922



Compatible with
Ribbon - Ribbon Plus - Ribbon slim
Dropper


Flat surface profile | Indoor LED Strips



Compatible with
Ribbon - Ribbon Plus - Ribbon slim
PU_C Plus

type	L mm		
Anod. AL	2 m	Profilo - Profile	98937
Opaline	2 m	Diffusore - Diffuser	98938
	2 x	Tappi - Caps	98940
	5 x	Staffe - Brackets	98939



Surface profile | Indoor LED Strips



Compatible with
Ribbon - Ribbon Plus - Ribbon slim
Dropper
Silicone_C - PU_C Plus

type	L mm		
Anod. AL	2 m	Profilo - Profile	98419
Opaline	2 m	Diffusore - Diffuser	98395
	2 x	Tappi - Caps	98418
	5 x	Staffe - Brackets	98420


Slim profile kit | Indoor LED Strips



type	L mm	
Anod. AL	2 m	63560L02

Compatible with
Ribbon
Dropper

Heat sink | Indoor LED Strips



type	L mm		
Anod. AL	2 m	Dissipatore - Heat sink	98956

Compatible with
Ribbon - Ribbon Plus - Ribbon slim
Dropper
Silicone_C - PU_C Plus

electronics range index

Over Voltage Protection

	pag
Defender	965

ON/OFF driver C.C.

	pag
Bit	966
Slim	966
Mini_Penny	966
Mini_Aqualed	967
Simon	967
Penny_Q	967
Penny	968
Aqualed	968
Leon	968
Maxi_Aqualed	969
Clerk	969
Wade	969

Control System C.C.

RF Remote	pag
Smart	970
0/1-10V	
Slim	971
Simon	971
Boson	971
WT	972
Mean	972
Triac	
Edge	973
WT	973
DALI	
Slim	974
Simon	974
Photon	974
Argo	975
Planck	975
WT	975
Serban	976
Dual	976
Mean	976
DMX	
Real_T	977
Easy_Magic_Small	977
Easy_Magic_Big	977

Converter

on/off	pag
Round	978
0/1-10V	
Slim	978
DALI	
Slim	978

ON/OFF driver C.V.

	pag
Slim	979
Lingotto	979
Fusion	979
Aqualed	980
Maxi-Aqualed	980
Giant-Aqualed	980
Reason_75	981
Reason_150	981
Mean	981/982

Control System C.V.		
	N/O button	pag 984
	Nyquist	984
	RF Remote	985
	Smart	985
	0/1-10V	982
	Reason_150	982
	Bode	984
	DALI	983
	Mean	984
	Bode	984
	DMX	985
	DMX	985
Switching Driver C.V.		
		pag 986
	Peta 50W	986
	Peta / Exa 75W	986
	Peta / Exa 100W	986
	Peta RAIL DIN 120W	987
	Peta / Exa 150W	987
	Peta / Exa 200W	987
	Exa RAIL DIN 240W	988
	Peta / Exa 320W	988
	Peta 500W	988
	Exa 500W	989
	Peta / Exa 750W	989
Controller		
	TRIAC controller	pag 990
	Eltako	990
	PH-CUT	990
	0/1-10V Controller	991
	Touch	991
	Rotary	991
	DALI Controller	992
	Dali_PS1	992
	Dali_PS2	992
	Dali_USB	993
	Dali_Msensor	993
	Dali_RC	994
	Dali_XC	994
	DMX Controller	995
	Stick_DE3	995
	Stick_GU2	995
	SLESA UE7	995
	Artnet DMX controller	996
	Plexus	996
	Titan	996
	Pixie_PIXEL box	999
	Paseo_PIXEL box	999
	Eye-Wifi	1002
	Gateway	1002
	Linksys AC1900 WiFi Router	1002
	TP-Link Extender	1002
DMX or DMX/RDM accessories		
	DMX / RDM adresser	pag 996
	Pro Mk2	996
	DMX adresser	997
	i-LèD_DMX	997
	Splitter Line isolator Boost DMX	997
	RDM BOOST DMX	997
	Optical Isolator 40UT DMX512	997
	Optical Isolator 60UT DMX/RDM	998
Emergency light kit		
		pag 1000
	Emergency	1000

