


pixar




Pixar is perfect for pointing out the highlights of your garden. Its spot/narrow spot, medium flood and flood optics are ideal for plants and statues, with the housing channelling the illumination and limiting light pollution. The body can be adjusted to move the beam to the right place.

Materials

Anodised aluminium body
Extra-clear tempered glass diffuser



Pixar | Accent lighting | 180-300 V | powerLED 6,6 W AC



CRI 80

White	93384
Grey	93385
Cor-Ten	93386

3000K	699 lm	W
4000K	747 lm	N

Spot	15
Medium Flood	30
Flood	60


Accessories



89371

Peg

Pixar | Accent lighting | 180-300 V | powerLED 13,2 W AC



CRI 80

White	93387
Grey	93388
Cor-Ten	93389

3000K	1398 lm	W
4000K	1494 lm	N

Narrow Spot	08
Medium Flood	30
Flood	60


Accessories



89371

Peg

Pixar | Accent lighting | 180-300 V | powerLEDs 26,4 W AC



CRI 80

White	93399
Grey	93400
Cor-Ten	93401

3000K	2796 lm	W
4000K	2998 lm	N

Narrow Spot	08
Spot	15
Medium Flood	30
Flood	60


Accessories



89371

Peg

Pixar RGB | Accent lighting | 3 x powerLEDs 6 W 630mA



White	92822
Grey	92823
Cor-Ten	92881

RGB

Z


Spot	15
Medium Flood	30
Flood	60

Accessories




89371
Peg

Electronics



RF driver CC
972



DMX driver CC
977



DMX controllers
995




driver CV 24V/48V
981-982



switching CV 24V/48V
986-989

Pixar RGB | Accent lighting | 6 x powerLEDs 12 W 630mA



White	92882
Grey	92883
Cor-Ten	92884

RGB

Z


Narrow Spot	08
Medium Flood	30
Flood	60

Accessories




89371
Peg

Electronics



RF driver CC
972



DMX driver CC
977



DMX controllers
995




driver CV 24V/48V
981-982



switching CV 24V/48V
986-989

Pixar RGB | Accent lighting | 12 x powerLEDs 24 W 630mA



White	92885
Grey	92981
Cor-Ten	92982

RGB

Z


Spot	15
Medium Flood	30
Flood	60

Accessories




89371
Peg

Electronics



RF driver CC
972



DMX driver CC
977



DMX controllers
995



driver CV 24V/48V
981-982



switching CV 24V/48V
986-989