



Silicone_C Basic 60 LEDs/m | LED strip | stripLED 4.8 W/m 24 V



RTG

CRI 80

5 m	98346	2500 K	1350 lm
5 m	98027	2700 K	1800 lm
5 m	98560	3000 K	1825 lm
5 m	98028	4000 K	1850 lm


Electronics




89179
ON/OFF
1 art.




89359
ON/OFF
1 - 2 art.



99331
ON/OFF
1 - 6 art.




99332
0/1-10V
1 - 6 art.



99722
DALI
1 - 5 art.

Silicone_C Hi-Flux 60 LEDs/m | LED strip | stripLED 12 W/m 24 V




RTG

CRI 80

5 m	99622	3000 K	4750 lm
-----	--------------	--------	---------


Electronics




99331
ON/OFF
1 - 2 art.



99332
0/1-10V
1 - 2 art.






99332
DALI
1 - 2 art.



99787
DALI
1 - 4 art.

Silicone_C Hi-Flux 60 LEDs/m | LED strip | stripLED 14.4 W/m 24 V




RTG

CRI 80 - 14,4W/m

5 m	98352	2500 K	4050 lm
5 m	98042	2700 K	5400 lm
5 m	98043	4000 K	5550 lm


Electronics




99331
ON/OFF
1 - 2 art.



99332
0/1-10V
1 - 2 art.



99332
DALI
1 art.




99787
DALI
1 - 3 art.

Silicone_C 120 LEDs/m | LED strip | stripLED 14,4 W/m 24 V





RTG




CRI 80 - 14,4 W/m

5 m	62403	7230 lm	3000 K
5 m	62403N	7495 lm	4000 K


Electronics

 99331 ON/OFF 1 - 2 art.	 99332 0/1-10V 1 - 2 art.	 99332 DALI 1 art.	 99787 DALI 1 - 3 art.
---	---	---	---

Silicone_C Basic RGB 60 LEDs/m | LED strip | stripLED 14,4 W/m 24 V



RGB
RTG




CRI 80

5 m	98033	RGB
-----	--------------	-----

Electronics

 RF driver CV ▶ 985	 DMX driver CV ▶ 985	 DMX controllers ▶ 995	 driver CV 24V ▶ 981-982	 switching CV 24V ▶ 986-989
--	--	---	---	--

Silicone_C | Fixing kit



features

1 x	Colla - Glue
20 x	Staffe - Brackets
40 x	M3x25 viti - screws
10 x	Tappi - Caps

suitable for

5 m Silicone_C	98373
----------------	--------------

Silicone_C | Fixing brackets



features

10 x	Staffe - Brackets
20 x	M3x25 viti - screws

suitable for

5 m Silicone_C	89223
----------------	--------------

RGB Strips | Multiple outlet cable



connector	sec. Ø	available for	L mm	
F	4 x 0,35 mm ²	Ribbon RGB Dropper RGB	300 m	89122

RGB Strips | Extension for multiple outlets



connector	sec. Ø	available for	L mm	
M + F	4 x 0,35 mm ²	Ribbon RGB Dropper RGB	1000 m	89124
			3000 m	89126

LED Strips | Multiple outlet cable



connector	sec. Ø	available for	L mm	
6 M		Ribbon RGB Dropper RGB		89120

LED Strips | IP66 cable



connector	sec. Ø	available for	L mm	
1 M	2 x 0,75 mm ²	Silicone_C mono	1000 m	89629

LED Strips | IP66 extension



connector	sec. Ø	available for	L mm	
1 F	2 x 0,75 mm ²	Silicone_C mono	2000 m	99000

RGB Strips | IP66 cable



connector	sec. Ø	available for	L mm	
1 M	4 x 0,35 mm ²	Silicone_C RGB	2000 m	89630

RGB Strips | IP66 extension



connector	sec. Ø	available for	L mm	
1 F	4 x 0,35 mm ²	Silicone_C RGB	2000 m	99001

Low surface profile | Indoor LED Strips



Compatible with
Ribbon - Ribbon Plus - Ribbon slim
Dropper

type	L mm		
Anod. AL	2 m	Profilo - Profile	98891
Transp.	2 m	Diffusore - Diffuser	98941
Satinized	2 m	Diffusore - Diffuser	98942
Opaline	2 m	Diffusore - Diffuser	98943
	2 x	Tappi - Caps	98892
	5 x	Staffe - Brackets	98944

KIT composition

1 x	98891-98943-98892-98944	98954
10 x	98891-98943	98955


High surface profile | Indoor LED Strips



Compatible with
Ribbon - Ribbon Plus - Ribbon slim
Dropper
Silicone_C - PU_C Plus

type	L mm		
Anod. AL	2 m	Profilo - Profile	98893
Transp.	2 m	Diffusore - Diffuser	98941
Satinized	2 m	Diffusore - Diffuser	98942
Opaline	2 m	Diffusore - Diffuser	98943
	2 x	Tappi - Caps	98894
	5 x	Staffe - Brackets	98944



90° surface profile | Indoor LED Strips



Compatible with
Ribbon - Ribbon Plus - Ribbon slim
Dropper
Silicone_C - PU_C Plus

type	L mm		
Anod. AL	2 m	Profilo - Profile	98923
Satinized	2 m	Diffusore - Diffuser	98925
	2 x	Tappi - Caps	98928
	5 x	Staffe - Brackets	98927

Small recessed profile | Indoor LED Strips



Compatible with
Ribbon - Ribbon Plus - Ribbon slim
Dropper

type L mm

Anod. AL	2 m	Profilo - Profile	98895
Transp.	2 m	Diffusore - Diffuser	98941
Satinized	2 m	Diffusore - Diffuser	98942
Opaline	2 m	Diffusore - Diffuser	98943
	2 x	Tappi - Caps	98896
	5 x	Staffe - Brackets	98944

KIT composition

1 x	98895-98943-98896-98944	98965
-----	-------------------------	--------------

Recessed profile | Indoor LED Strips





Compatible with
Ribbon - Ribbon Plus - Ribbon slim
Dropper
Silicone_C - PU_C Plus

type L mm

Anod. AL	2 m	Profilo - Profile	98897
Transp.	2 m	Diffusore - Diffuser	98898
Satinized	2 m	Diffusore - Diffuser	98899
Opaline	2 m	Diffusore - Diffuser	98900
	2 x	Tappi - Caps	98902
	5 x	Staffe - Brackets	98901

False-ceilings integrated profile | Indoor LED Strips



Compatible with
Ribbon - Ribbon Plus - Ribbon slim
Dropper
Silicone_C - PU_C Plus

type L mm

Anod. AL	2 m	Profilo - Profile	98906
Transp.	2 m	Diffusore - Diffuser	98898
Satinized	2 m	Diffusore - Diffuser	98899
Opaline	2 m	Diffusore - Diffuser	98900
	2 x	Tappi - Caps	98907

Flat surface profile | Indoor LED Strips




type	L mm		
Anod. AL	2 m	Profilo - Profile	98937
Opaline	2 m	Diffusore - Diffuser	98938
	2 x	Tappi - Caps	98940
	5 x	Staffe - Brackets	98939



Compatible with
Ribbon - Ribbon Plus - Ribbon slim
PU_C Plus

Surface profile | Indoor LED Strips





type	L mm		
Anod. AL	2 m	Profilo - Profile	98419
Opaline	2 m	Diffusore - Diffuser	98395
	2 x	Tappi - Caps	98418
	5 x	Staffe - Brackets	98420



Compatible with
Ribbon - Ribbon Plus - Ribbon slim
Dropper
Silicone_C - PU_C Plus


Slim profile kit | Indoor LED Strips



type	L mm	
Anod. AL	2 m	63560L02

Compatible with
Ribbon
Dropper

Heat sink | Indoor LED Strips



type	L mm		
Anod. AL	2 m	Dissipatore - Heat sink	98956

Compatible with
Ribbon - Ribbon Plus - Ribbon slim
Dropper
Silicone_C - PU_C Plus