

The background is a detailed line-art illustration in a muted grey tone. It depicts an industrial or construction setting. At the top, a large gear wheel is visible. To the right, a worker in a hard hat and safety gear is working on a structure. In the center, a large circular component, possibly a fan or a part of a machine, is shown. Below this, a worker in a hard hat and safety vest is holding a clipboard and looking upwards. To the right of the worker, there is a recycling symbol and a building with windows. The overall style is technical and industrial.

MAESTRO 3.0

PROFESSIONAL
ARCHITECTURAL
LIGHTING

Vedette

i-LèD




vedette

Materials
Aluminium body




Vedette_R Single emission | Wall light | 198-264 V AC | powerLED 4 W DC - 4,5 W AC




		Cct	lm S - D	Optic
White	82773	M 2700	490 - 298	15 Spot (14°)
Black	82774	W 3000	490 - 298	30 Flood (32°)
Grey	82775	N 4000	529 - 301	45 Flood (44°)
DarkBrown	82776			00 General -
Sand	82777			

Vedette_R Single emission | Wall light | 198-264 V AC | arrayLED 8 W DC - 9 W AC




		Cct	lm S - D	Optic
White	82793	M 2700	1072 - 725	15 Spot (18°)
Black	82794	W 3000	1117 - 753	30 Flood (36°)
Grey	82795	N 4000	1180 - 794	60 W.Flood (66°)
DarkBrown	82796			00 General -
Sand	82797			

Vedette_R Single emission | Wall light | 198-264 V AC | arrayLED 14 W DC - 15,5 W AC




		Cct	lm S - D	Optic
White	82813	M 2700	1735 - 1255	15 Spot (13°)
Black	82814	W 3000	1808 - 1306	30 Flood (33°)
Grey	82815	N 4000	1909 - 1379	60 W.Flood (63°)
DarkBrown	82816			00 General -
Sand	82817			

Vedette_R Double emission | Wall light | 198-264 V AC | powerLED 8 W DC - 9 W AC




		Cct	lm S - D	Optic
White	82778	M 2700	980 - 596	15 Spot (14°)
Black	82779	W 3000	980 - 596	30 Flood (32°)
Grey	82780	N 4000	1058 - 644	45 Flood (44°)
DarkBrown	82781			00 General -
Sand	82782			

Vedette_R Double emission | Wall light | 198-264 V AC | arrayLED 16 W DC - 18 W AC





		Cct	lm S - D	Optic
White	82798	M 2700	2144 - 1454	15 Spot (18°)
Black	82799	W 3000	2234 - 1511	30 Flood (36°)
Grey	82800	N 4000	2360 - 1595	60 W.Flood (66°)
DarkBrown	82801			00 General -
Sand	82802			

Vedette_R Double emission | Wall light | 198-264 V AC | arrayLED 28 W DC - 30 W AC




		Cct	lm S - D	Optic
White	82818	M 2700	3470 - On req	15 Spot (13°)
Black	82819	W 3000	3616 - On req	30 Flood (33°)
Grey	82820	N 4000	3818 - On req	60 W.Flood (63°)
DarkBrown	82821			00 General -
Sand	82822			

Vedette_Q Single emission | Wall light | 198-264 V AC | powerLED 4 W DC - 4,5 W AC





		Cct	lm S - D	Optic
White	82763	M 2700	490 - 298	15 Spot (14°)
Black	82764	W 3000	490 - 298	30 Flood (32°)
Grey	82765	N 4000	529 - 301	45 Flood (44°)
DarkBrown	82766			00 General -
Sand	82767			

Vedette_Q Single emission | Wall light | 198-264 V AC | arrayLED 8 W DC - 9 W AC





		Cct	lm S - D	Optic
White	82783	M 2700	1072 - 725	15 Spot (18°)
Black	82784	W 3000	1117 - 753	30 Flood (36°)
Grey	82785	N 4000	1180 - 794	60 W.Flood (66°)
DarkBrown	82786			00 General -
Sand	82787			

Vedette_Q Single emission | Wall light | 198-264 V AC | arrayLED 14 W DC - 15,5 W AC




		Cct	lm S - D	Optic
White	82803	M 2700	1735 - 1255	15 Spot (13°)
Black	82804	W 3000	1808 - 1306	30 Flood (30°)
Grey	82805	N 4000	1909 - 1379	60 W.Flood (63°)
DarkBrown	82806			00 General -
Sand	82807			

Vedette_Q Double emission | Wall light | 198-164 V AC | powerLED 8 W DC - 9 W AC





		Cct	lm S - D	Optic
White	82768	M 2700	980 - 596	15 Spot (14°)
Black	82769	W 3000	980 - 596	30 Flood (32°)
Grey	82770	N 4000	1058 - 644	45 Flood (44°)
DarkBrown	82771			00 General -
Sand	82772			

Vedette_Q Double emission | Wall light | 198-264 V AC | arrayLED 16 W DC - 18 W AC




		Cct	lm S - D	Optic
White	82788	M 2700	2144 - 1454	15 Spot (18°)
Black	82789	W 3000	2234 - 1511	30 Flood (36°)
Grey	82790	N 4000	2360 - 1595	60 W.Flood (66°)
DarkBrown	82791			00 General -
Sand	82792			

Vedette_Q Double emission | Wall light | 198-264 V AC | arrayLED 28 W DC - 30 W AC




		Cct	lm S - D	Optic
White	82808	M 2700	3470 - On req	15 Spot (13°)
Black	82809	W 3000	3616 - On req	30 Flood (30°)
Grey	82810	N 4000	3818 - On req	60 W.Flood (63°)
DarkBrown	82811			00 General -
Sand	82812			

Vedette_Q blade Single emission | Wall light | 198-264 V AC | powerLED 6 W DC - 7,2 W AC




		Cct	lm S - D	Optic
White	97048	M 2700	657 - On req	05 N.Spot -
Black	97049	W 3000	699 - On req	
Grey	97050	N 4000	747 - On req	
DarkBrown	97051			
Sand	82515			

Vedette_Q blade Double emission | Wall light | 198-264 V AC | powerLED 12 W DC - 13 W AC



		Cct	lm S - D	Optic
White	97185	M 2700	1314 - On req	05 N.Spot -
Black	97186	W 3000	1398 - On req	
Grey	97187	N 4000	1494 - On req	
DarkBrown	97188			
Sand	82516			


Vedette_Q blade Double emission | Wall light | 198-264 V AC | arrayLED 12 W DC - 13,5 W AC



		Cct	lm S - D	Optic
White	97052	M 2700	1342 - On req	56 5°+ 60° -
Black	97053	W 3000	1486 - On req	
Grey	97054	N 4000	1684 - On req	
DarkBrown	97055			
Sand	82517			


Optic 5° powerLED

Vedette_Q blade Single emission | Wall light | 198-264 V AC | powerLED 24 W DC - 28,8 W AC




		Cct	lm S - D	Optic
White	91599	M 2700	2288 - On req	05 N.Spot (4°)
Black	91600	W 3000	2288 - On req	
Grey	91601	N 4000	2463 - On req	
DarkBrown	91602			
Sand	82518			

Vedette_Q Asymm. Single emission | Wall light | 198-264 V AC | powerLED 6 W DC - 7,2 W AC




		Cct	lm S - D	Optic
White	81574	M 2700	685 - On req	07 Asymm. -
Black	81575	W 3000	739 - On req	
Grey	81576	N 4000	985 - On req	
DarkBrown	81577			
Sand	82519			

Vedette_Q Asymm Double emission | Wall light | 198-264 V AC | powerLED 13,5 W DC - 15 W AC




		Cct	lm S - D	Optic
White	81578	M 2700	1324 - On req	62 Asymm. +5° -
Black	81579	W 3000	1413 - On req	63 Asymm. +30° -
Grey	81580	N 4000	1730 - On req	64 Asymm. +60° -
DarkBrown	81581			
Sand	82520			

Vedette_Q asymmetric | Wall light | 198-264 V AC | arrayLED 14 W DC - 15 W AC



		Cct	lm S - D	Optic
White	81582	M 2700	2077 - On req	07 Asymm.
Black	81583	W 3000	2165 - On req	
Grey	81584	N 4000	2285 - On req	
DarkBrown	81585			

Vedette_Q Asymm Double emission | Wall light | 198-264 V AC | arrayLED 28 W DC - 30 W AC



		Cct	lm S - D	Optic
White	81586	M 2700	3812 - On req	62 Asymm. +5° -
Black	81587	W 3000	3973 - On req	63 Asymm. +30° -
Grey	81588	N 4000	4194 - On req	64 Asymm. +60° -
DarkBrown	81589			

Optic 5° powerLED

Addresses

Linea Light HQ Italy

via della Fornace, 59 z.i.
31023 Castelmolin di Resana (TV) - Italy
Phone: +39 0423 7868
Fax: +39 0423 786900
info@linealight.com

Linea Light Milano

via Morimondo, 26 int. 17G
20143 Milano - Italy
Phone: +39 02 36750915
Fax: +39 02 36750915
milano@linealight.com

Linea Light Roma

Via La Spezia, 34
00182 Roma - Italy
Phone: +39 06 68589134
info@linealightroma.com

Linea Light UK

Suite 109 - The Business Design Centre
52 Upper Street - Islington N10QH
London - UK
Phone: +44 0203 6371983
info@linealight-uk.com

Linea Light France

Z.A. Heiden Est, 12 rue des Pays-Bas
68310 Wittelsheim - France
Phone: +33 389 75 52 23
Fax: +33 389 75 59 07
info@linealight.fr

Linea Light Deutschland

Aktienstraße 214
45473 Mülheim Ruhr - Germany
Phone: +49 208 299979-0
Fax: +49 208 299979-10
service@linealight.de

Linea Light USA - Inter Lux

3741 Commerce Drive
Suites 306-308
Baltimore, MD 21227 - USA
Phone: +1 410 381 1497
Fax: +1 410 381 1589
answers@inter-lux.com

Linea Light Russia

Design Center Artplay
Nizhnyaya Syromyatnicheskaya 10/2 enter B,
3rd floor, office 14
105120 Moscow - Russia Federation
Phone: +7 495 639 9941
info@linealight.ru

Linea Light Spain

C/ Longares, 48
28022 Madrid - Spain
Phone: +34 912534773
info@linealight.es

Linea Light Singapore

21 Kaki Bukit Place, 5th Fl.
Eunos Techpark Singapore
416199 Singapore
Phone: +65-6908 5758
info.sg@linealight.com


Linea Light GCC

Jumeirah Lake Towers
JBC2 - 35th Floor Cluster V - Dubai - UAE
P.O. Box 125902
Phone: +971 4 4218275
Fax: +971 4 4218274
info@linealight.ae

Linea Light Asia - Pacific

No. 7, Nanyi Huayuan Road, Industry Avenue,
528478 Xiaolan Town, Zhongshan City,
Guangdong Province - China
Phone: +86 760 87618355
info@linealight.com.cn

linealight.com



Special edition to celebrate the new 2021 factory

linealight.com