


vigilant




The Vigilant swivel bracket light range is versatile and reliable. It includes DMX-controlled models to create and manage dynamic white or coloured scenes. Vigilant has the highest possible degree of water protection, thanks to IP68 and AquaStop®, and of mechanical resistance (IK10).

Materials

AISI 316 stainless steel body



Vigilant | Underwater luminaires | powerLEDs 4 W 350 mA



CRI 80

Steel **80314**

3000 K	490 lm	W	Spot	15
4000 K	529 lm	N	Medium Flood	30
			Flood	60

Electronics





89421
ON/OFF
1 art.



99183
ON/OFF
2 - 3 art.



Vigilant | Underwater luminaires | 24 V | powerLEDs 6 W



CRI 80

Steel **97659**

3000 K	699 lm	W	Spot	15
4000 K	747 lm	N	Medium Flood	30
			Flood	60
			Wide Flood	12


Electronics




89179
ON/OFF
1 - 4 art.




89359
ON/OFF
1 - 8 art.



99331
ON/OFF
1 - 25 art.




99332
0/1-10V
1 - 25 art.



99722
DALI
1 - 20 art.



Vigilant | Underwater luminaires | 24 V | powerLEDs 12 W



CRI 80

Steel **97660**

3000 K	1398 lm	W	Medium Flood	30
4000 K	1494 lm	N	Flood	60
			Wide Flood	12


Electronics




89179
ON/OFF
1 - 2 art.




89359
ON/OFF
1 - 4 art.



99331
ON/OFF
1 - 12 art.




99332
0/1-10V
1 - 12 art.



99722
DALI
1 - 10 art.



Vigilant | Underwater luminaires | 24 V | powerLEDs 27 W



CRI 80

Steel **97666**

3000 K	3582 lm	W	Spot	15
4000 K	3834 lm	N	Medium Flood	30
			Flood	60
			Wide Flood	12


Electronics




89179
ON/OFF
1 - 2 art.




89359
ON/OFF
1 - 4 art.



99331
ON/OFF
1 - 15 art.




99332
0/1-10V
1 - 15 art.



99722
DALI
1 - 12 art.



Vigilant RGB | Underwater luminaires | powerLED 6 W 630 mA




Steel	93511	RGB	Z	Spot	15
				Medium Flood	30
				Flood	60
				Wide Flood	12

Electronics

211 167 51	60 159 90	DMX controllers	driver CV 24V/48V	switching CV 24V/48V
RF driver CC	DMX driver CC	DMX controllers	driver CV 24V/48V	switching CV 24V/48V
972	977	995	981-982	986-989

Vigilant RGB | Underwater luminaires | powerLED 12 W 630 mA




Steel	93647	RGB	Z	Spot	15
				Medium Flood	30
				Flood	60
				Wide Flood	12

Electronics

211 167 51	60 159 90	DMX controllers	driver CV 24V/48V	switching CV 24V/48V
RF driver CC	DMX driver CC	DMX controllers	driver CV 24V/48V	switching CV 24V/48V
972	977	995	981-982	986-989

Vigilant RGB | Underwater luminaires | powerLED 27 W 500 mA



Steel	93514	RGB	Z	Spot	15
				Medium Flood	30
				Flood	60
				Wide Flood	12

Electronics

211 167 51	60 159 90	DMX controllers	driver CV 24V/48V	switching CV 24V/48V
RF driver CC	DMX driver CC	DMX controllers	driver CV 24V/48V	switching CV 24V/48V
972	977	995	981-982	986-989