



Warp_R | Downlight | powerLED 2 W 630 mA



Balance - CRI 92

White	90542	2700 K	157 lm	M	Spot	15
Black	90543	3000 K	179 lm	W	Medium Flood	30
					Flood	60



White	90722
Black	90723

Efficiency - CRI 80

White	90544	2700 K	219 lm	M	Spot	15
Black	90545	3000 K	233 lm	W	Medium Flood	30
		4000 K	249 lm	N	Flood	60




White	90720
Black	90721

RTG **90544W15**
90544W30




The power supply requires a larger hole than the one indicated for the spotlight

Electronics




89147
ON/OFF
1 - 2 art.



99710
0/1-10V converter
1 art.

+ driver CV 24V
981





99713
DALI converter
1 art.

+ driver CV 24V
981



Warp_R | Downlight | powerLED 4 W 350 mA



Balance - CRI 92

White	90740	2700 K	395 lm	M	Spot	15
Black	90741	3000 K	423 lm	W	Medium Flood	30
		4000 K	456 lm	N	Flood	60



White	90744
Black	90745

Efficiency - CRI 80

White	90546	2700 K	490 lm	M	Spot	15
Black	90547	3000 K	490 lm	W	Medium Flood	30
		4000 K	529 lm	N	Flood	60




White	90742
Black	90743




The power supply requires a larger hole than the one indicated for the spotlight

Electronics




89145
ON/OFF
1 art.



99708
0/1-10V converter
1 art.

+ driver CV 24V
981





99711
DALI converter
1 art.

+ driver CV 24V
981



Warp_R | Downlight | powerLED 6 W 500 mA




Balance - CRI 92

White	90748	2700 K	532 lm	M	Spot	15
Black	90749	3000 K	569 lm	W	Medium Flood	30
		4000 K	614 lm	N	Flood	60
White	90752					
Black	90753					


Efficiency - CRI 80

White	90548	2700 K	659 lm	M	Spot	15
Black	90549	3000 K	659 lm	W	Medium Flood	30
		4000 K	711 lm	N	Flood	60
White	90750					
Black	90751					


Electronics



99377
ON/OFF
1 art.




99714
0/1-10V
1 art.



99715
DALI
1 art.

RTG **90548W15**
90548W30

Warp_R | Downlight | powerLED 10 W 800 mA



Balance - CRI 92

White	90762	2700 K	960 lm	M	Spot	15
Black	90763	3000 K	1034 lm	W	Medium Flood	30
		4000 K	1108 lm	N	Flood	60
White	90766					
Black	90767					

Efficiency - CRI 80

White	90550	2700 K	1108 lm	M	Spot	15
Black	90551	3000 K	1194 lm	W	Medium Flood	30
		4000 K	1280 lm	N	Flood	60
White	90764					
Black	90765					


Electronics



99735
ON/OFF
1 art.




99733
0/1-10V
1 art.



99731
DALI
1 art.

RTG **90550M30**
90550M60
90550W30
90550W60



Balance - CRI 92

White	90776	2700 K	1568 lm	M	Spot	15
Black	90777	3000 K	1677 lm	W	Medium Flood	30
		4000 K	1804 lm	N	Flood	60
White	90780					
Black	90781					

Efficiency - CRI 80

White	90552	2700 K	1932 lm	M	Spot	15
Black	90553	3000 K	1932 lm	W	Medium Flood	30
		4000 K	2078 lm	N	Flood	60
White	90778					
Black	90779					




Electronics



99740
ON/OFF
1 art.



99739
0/1-10V
1 art.




99738
DALI
1 art.



WarmTune

White	81481	WarmTune 1000 lm	S	Spot	15
Black	81482			Medium Flood	30
				Flood	60



99360
Triac + Igbt
1 art.




99361
0/1-10V
1 art.



99362
DALI
1 art.

Warp_R | Downlight | arrayLED 25 W 700 mA




Balance - CRI 92


White	90790	2700 K	2598 lm	M	Spot	15
Black	90791	3000 K	2794 lm	W	Medium Flood	30
		4000 K	2990 lm	N	Flood	60
White	90794					
Black	90795					

Efficiency - CRI 80


White	90612	2700 K	3210 lm	M	Spot	15
Black	90613	3000 K	3431 lm	W	Medium Flood	30
		4000 K	3431 lm	N	Flood	60
White	90792					
Black	90793					




Electronics



99112
ON/OFF
1 art.



99188
0/1-10V DALI
1 art.




99330
DALI
1 art.



WarmTune

White	91926	WarmTune 2100 lm	S	Spot	15	
Black	91927				Medium Flood	30
					Flood	60

Electronics




99360
Triac + Igbt
1 art.



99361
1-10V
1 art.



99362
DALI
1 art.



Balance - CRI 92


White	81487	2700 K	5033 lm	M	Spot	15
Black	81488	3000 K	5383 lm	W	Medium Flood	30
		4000 K	5784 lm	N	Flood	60
White	81491					
Black	81492					

Efficiency - CRI 80

White	81485	2700 K	6185 lm	M	Spot	15
Black	81486	3000 K	6185 lm	W	Medium Flood	30
		4000 K	6649 lm	N	Flood	60
White	81489					
Black	81490					



Electronics



99092
ON/OFF
1 art.



99174
0/1-10V DALI
1 art.



99174
DALI
1 art.